POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS			
Total 2003 Population 132,530  Population per square mile .	Community Options and MA Waiver as HSRS reports costs for services	Per 10,000 Staffing - FTE Number Population Total staff 64.2 4.9			
County ranking in state (1-72).  Age Female Male Total 0-14 11,300 12,020 23,370 15-19 4,530 4,830 9,370	Clients Costs COP 50 \$768,337  MA Waiver * CIP1A 42 \$2,165,626 CIP1B 347 \$8,526,924	Total staff 64.2 4.9 Administrative 8.3 0.6 Public health nurses 18.6 1.4 Other prof. staff 19.0 1.4 Technical/Paraprof. 5.0 0.4 Support staff 13.6 1.0			
20-24     3, 910     3, 880     7, 800       25-29     3, 350     3, 330     6, 680       30-34     3, 450     3, 500     6, 960       35-39     4, 120     4, 210     8, 330       40-44     5, 230     5, 210     10, 430	CI P1A 42 \$2, 165, 626 CI P1B 347 \$8, 526, 924 CI P2 212 \$2, 672, 800 COP-W 614 \$4, 780, 801 CSLA 9 \$127, 238 Brain I nj ury 13 \$486, 655 Total COP/Wvrs 1, 287 \$18, 760, 045	Fundi ng Per capi ta Total \$4,064,942 \$30.74 Local Taxes \$1,991,013 \$15.06			
45-54 10, 160 10, 750 20, 910 55-64 8, 100 8, 280 16, 340	\$1,845,528 of the above waiver costs	LI CENSED ESTABLI SHMENTS			
65-74 5, 860 5, 730 11, 580 75-84 4, 350 3, 260 7, 640 85+ 2, 110 1, 020 3, 150 Total 66, 470 66, 060 132, 530	were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.	Type Capacity Facilities Bed & Breakfast 254 74 Camps 6,965 213 Hotels, Motels 8,547 529 Tourist Rooming 2,223 838			
Age Female Male Total 0-17 13,970 14,930 28,960 18-44 21,920 22,050 43,980	* Waiver costs reported here include federal funding.  Clients Costs	Tourist Rooming 2,223 838 Pools 91 Restaurants 1,190 Vending 17			
45-64 18, 260 19, 030 37, 250 65+ 12, 320 10, 010 22, 370 Total 66, 470 66, 060 132, 530	Eligible and Waiting 596 n/a  (Family Care data not available)	WIC PARTICIPANTS			
Poverty Estimates for 2000	(railiry care data not avairable)	WIC FARTICIFANTS			
Estimate (C.I.+/-) All ages 14,428 not Ages 0-17 4,369 available	Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.	Pregnant/Postpartum 1,781 Infants 1,786 Children, age 1-4 2,685 Total 6,252			
Average wage for jobs covered by unemployment compensation N/A (place of work)  Annual	Home Heal th Agencies 9 Patients 1,709 Patients per 10,000 pop. 129	CANCER INCIDENCE (2002) Pri mary Si te Breast 69 Cervi cal 5 Col orectal 62			
Labor Force Estimates Average  Civilian Labor Force 69,918 Number employed 65,341 Number unemployed 4,577 Unemployment rate 6.5%	Nursing Homes 16 Licensed beds 1,340 Occupancy rate 619% Residents on Dec. 31 1,171	Lung and Bronchus 84 Prostate 88 Other sites 219 Total 527			
Unemployment rate 4,5// 6.5%	Residents age 65 or older per 1,000 population 50	Note: Totals shown are for i nvasi ve cancers only.			

			NATA	ALLTY				
TOTAL LIVE BIRTHS		1, 351	Birth Order First	Births 551	Percent 41	Marital Status of Mother	Bi rths	Percent
Crude Live Birth Rate	<b>:</b>	10. 2	Second	440	33	Marri ed	842	62
General Fertility Rat	e	55. 0	Thi rd	214	16	Not married	509	38
			Fourth or higher		11	Unknown	0	0
Live births with repo	rted		Unknown	0	0			
congenital anomalies	2	.5 1. <b>9</b> %				Educati on	D: 11	
Dolivery Tyro	D: wtho	Damaant	1ot December 1/i oi t	D: mtha	Domoont	of Mother	Bi rths	Percent
Delivery Type Vaginal after	Births	Percent	1st Prenatal Visit 1st trimester	1, 116	Percent 83	Elementary or le Some high school	ess 7 144	1 11
previous cesarean	22	2	2nd trimester	1, 110	14	High school	465	34
Forceps	5	<. 5	3rd trimester	1, 110	2	Some college	416	31
Other vagi nal	980	73	No visits	11	1	College graduate	313	23
Pri mary cesarean	219	16	Unknown	7	1	Unknown	6	<.5
Repeat cesarean	125	9						
1			Prenatal Visits	Bi rths	Percent	Smoking Status		_
Birthweight	Bi rths	Percent	No vi si ts	11	1	of Mother	Bi rths	Percent
<1,500 gm	16	1. 2	1-4	49	4	Smoker	354	26
1,500-2,499 gm 2,500+ gm	1 241	5. 4 93. 3	5-9 10-12	301 621	22 46	Nonsmoker Unknown	993 4	74 <. 5
Unknown	1, 201	93. 3 <. 5	13+	363	27	UTIKTIOWIT	4	ζ. 5
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	'	<b>\.</b> 5	Unknown	6	<. 5			
			Low Birthweight		Tri mest	er of First Prenata	al Visit	
5 (5)	D D		(under 2,500 gm)	1st Tr	imester	2nd Trimester	Other/	/Unknown
Race/Ethni ci ty	Births P		(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
		88	(under 2,500 gm) Births Percent 77 6.5	Bi rths 1, 011	imester Percent 85	2nd Trimester Births Percent 148 12	Other/ Births 33	Percent 3
		88 <. 5	(under 2,500 gm) Births Percent 77 6.5 1 20.0	Bi rths 1, 011 2	i mester Percent 85 40	2nd Trimester Births Percent 148 12 1 20	Other/ Bi rths 33 2	Percent 3 40
White Black/Afr. American American Indian	1, 192 5 135	88 <. 5 10	(under 2,500 gm) Births Percent 77 6.5	Bi rths 1, 011 2 89	imester Percent 85 40 66	2nd Trimester Births Percent 148 12 1 20 31 23	Other/ Births 33	Percent 3
White Black/Afr. American American Indian	1, 192 5 135	88 <. 5 10 1	(under 2,500 gm) Births Percent 77 6.5 1 20.0	Bi rths 1, 011 2 89 9	i mester Percent 85 40	2nd Trimester Births Percent 148 12 1 20 31 23 4 31	Other/ Bi rths 33 2	Percent 3 40
White Black/Afr. American American Indian		88 <. 5 10	(under 2,500 gm) Births Percent 77 6.5 1 20.0 11 8.1	Bi rths 1, 011 2 89 9	imester Percent 85 40 66	2nd Trimester Births Percent 148 12 1 20 31 23	Other/ Births 33 2 15	Percent 3 40
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	1, 192 5 135 13 1	88 <. 5 10 1 <. 5	(under 2,500 gm) Births Percent 77 6.5 1 20.0 11 8.1	Bi rths 1, 011 2 89 9	i mester Percent 85 40 66 69 100	2nd Trimester Births Percent 148 12 1 20 31 23 4 31 * .	0ther/ Bi rths 33 2 15	Percent 3 40
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	1, 192 5 135 13 1 5	88 <. 5 10 1 <. 5 <. 5	(under 2,500 gm) Births Percent 77 6.5 1 20.0 11 8.1	Bi rths 1, 011 2 89 9 * 5	imester Percent 85 40 66 69 . 100 Trimest	2nd Trimester Births Percent 148 12 1 20 31 23 4 31 * ter of First Prenata	Other/ Bi rths 33 2 15	Percent 3 40 11
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	1, 192 5 135 13 1 5	88 <.5 10 1 <.5 <.5	(under 2,500 gm) Births Percent 77 6.5 1 20.0 11 8.1	Bi rths 1, 011 2 89 9 * 5 	i mester Percent 85 40 66 69 . 100 Tri mest	2nd Trimester Births Percent 148 12 1 20 31 23 4 31 * er of First Prenata 2nd Trimester	Other/ Bi rths 33 2 15 al Vi si t Other/	Percent 3 40 11 /Unknown
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother	1, 192 5 135 13 1 5 Fe Bi rths	88 <.5 10 1 <.5 <.5 	(under 2,500 gm) Births Percent 77 6.5 1 20.0 11 8.1	Bi rths 1, 011 2 89 9 * 5 	imester Percent 85 40 66 69 . 100 Trimest	2nd Trimester Births Percent 148 12 1 20 31 23 4 31 * ter of First Prenata	Other/ Bi rths 33 2 15 al Vi si t Other/	Percent 3 40 11
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15	1, 192 5 135 13 1 5 Fe Bi rths	88 <.5 10 1 <.5 <.5 	(under 2,500 gm) Births Percent 77 6.5 1 20.0 11 8.1	Bi rths 1, 011 2 89 9 * 5  1st Tr Bi rths	imester Percent 85 40 66 69 . 100 Trimestimester Percent	2nd Trimester Births Percent 148 12 1 20 31 23 4 31 * er of First Prenata 2nd Trimester Births Percent *	Other/ Bi rths 33 2 15 al Vi si t Other/	Percent 3 40 11 /Unknown
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17	1, 192 5 135 13 1 5 Fe Bi rths 1 38	88 <.5 10 1 <.5 <.5 	(under 2,500 gm) Births Percent 77 6.5 1 20.0 11 8.1  * * * Low Birthweight (under 2,500 gm) Births Percent * 1 2.6	Bi rths 1, 011 2 89 9 * 5  1st Tr Bi rths *	i mester Percent 85 40 66 69 . 100 Tri mest i mester Percent . 58	2nd Trimester Births Percent 148 12 1 20 31 23 4 31 * er of First Prenata 2nd Trimester Births Percent * 8 21	Other/ Bi rths 33 2 15 al Vi si t Other/	Percent 3 40 11 /Unknown
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24	1, 192 5 135 13 1 5 	88 <.5 10 1 <.5 <.5 	(under 2,500 gm) Births Percent 77 6.5 1 20.0 11 8.1	Bi rths 1, 011 2 89 9 * 5  1st Tr Bi rths * 22 81 336	i mester Percent 85 40 66 69 . 100 Tri mest i mester Percent . 58 82 81	2nd Trimester Births Percent 148 12 1 20 31 23 4 31 * er of First Prenata 2nd Trimester Births Percent  * 8 21 15 15 65 16	Other/ Bi rths 33 2 15 al Vi si t Other/	Percent 3 40 11 /Unknown
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29	1, 192 5 135 13 1 5 	88 <.5 10 1 <.5 <.5 	(under 2,500 gm) Births Percent 77 6.5 1 20.0 11 8.1	Bi rths 1, 011 2 89 9 * 5  1st Tr Bi rths * 22 81 336 326	i mester Percent 85 40 66 69 . 100 Tri mest i mester Percent . 58 82 81 84	2nd Trimester Births Percent 148 12 1 20 31 23 4 31 * er of First Prenata 2nd Trimester Births Percent  * 8 21 15 15 65 16 51 13	Other/ Bi rths 33 2 15 al Vi si t Other/	Percent 3 40 11 /Unknown
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown   Age of Mother <15 15-17 18-19 20-24 25-29 30-34	1, 192 5 135 13 1 5 	88 <.5 10 1 <.5 <.5 <.5 ertility Rate 14 54 107 115 75	(under 2,500 gm) Births Percent 77 6.5 1 20.0 11 8.1	Bi rths 1, 011 2 89 9 * 5  1st Tr Bi rths * 22 81 336 326 229	i mester Percent 85 40 66 69 . 100 Tri mest i mester Percent . 58 82 81 84 88	2nd Trimester Births Percent 148 12 1 20 31 23 4 31 * er of First Prenata 2nd Trimester Births Percent  * 8 21 15 15 65 16 51 13 25 10	Other/ Bi rths 33 2 15 al Vi si t Other/	Percent 3 40 11 /Unknown
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	1, 192 5 135 13 1 5 	88 <.5 10 1 <.5 <.5 <.5 ertility Rate 14 54 107 115 75 29	(under 2,500 gm) Births Percent 77 6.5 1 20.0 11 8.1	Bi rths 1, 011 2 89 9 * 5  1st Tr Bi rths * 22 81 336 326 229 98	i mester Percent 85 40 66 69 100  Tri mest i mester Percent 58 82 81 84 88 88	2nd Trimester Births Percent 148 12 1 20 31 23 4 31 * er of First Prenata 2nd Trimester Births Percent  * 8 21 15 15 65 16 51 13 25 10 15 13	Other/ Bi rths 33 2 15 * al Vi si t Other/	Percent 3 40 11 /Unknown
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown   Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	1, 192 5 135 13 1 5 	88 <.5 10 1 <.5 <.5 <.5 ertility Rate 14 54 107 115 75 29 6	(under 2,500 gm) Births Percent 77 6.5 1 20.0 11 8.1	Bi rths 1, 011 2 89 9 * 5  1st Tr Bi rths * 22 81 336 326 229	i mester Percent 85 40 66 69 . 100 Tri mest i mester Percent . 58 82 81 84 88	2nd Trimester Births Percent 148 12 1 20 31 23 4 31 * er of First Prenata 2nd Trimester Births Percent  * 8 21 15 15 65 16 51 13 25 10	Other/Births 33 2 15 . * al Visit Other/Births * .	Percent 3 40 11 /Unknown
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	1, 192 5 135 13 1 5 	88 <.5 10 1 <.5 <.5 <.5 ertility Rate 14 54 107 115 75 29	(under 2,500 gm) Births Percent 77 6.5 1 20.0 11 8.1	Bi rths 1, 011 2 89 9 * 5  1st Tr Bi rths * 22 81 336 326 229 98	i mester Percent 85 40 66 69 100  Tri mest i mester Percent 58 82 81 84 88 88	2nd Trimester Births Percent 148 12 1 20 31 23 4 31 * er of First Prenata 2nd Trimester Births Percent  * 8 21 15 15 65 16 51 13 25 10 15 13	Other/ Bi rths 33 2 15 * al Vi si t Other/	Percent 3 40 11 /Unknown

MORBLDLTY	MORTALI TY						
REPORTED CASES OF SELECTED DI SEASES*	Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births.						
Di sease Number Campyl obacter Enteritis 25 Gi ardi asi s 17 Hepatitis Type A 0 Hepatitis Type B** 8 Hepatitis NANB/C 68 Legi onnaire's 0 Lyme 67 Measl es <5 Meni ngi tis, Aseptic <5 Meni ngi tis, Bacterial <5	1-4 5-14 15-19 20-34 35-54 55-64	Deaths 1 3 10 24 120 154	Rate 112 302 942	Selected Underlying Cause Heart Disease (total) Ischemic heart disea Cancer (total) Trachea/Bronchus/Lun Colorectal Female Breast Cerebrovascular Disea Lower Resp. Disease Pneumonia & Influenza	se 232 175 306 231 g 86 65 34 26 11 .* se 105 79 81 61 37 28		
Mumps0Pertussis0Sal monellosis10Shi gellosis0Tuberculosis0	65-74 75-84 85+	245 370 477	2, 116 4, 847 15, 185	Accidents Motor vehicle Diabetes Infect./Parasitic Dis Suicide			
* 2003 provisional data.  ** Includes all positive HBsAg test results.	Infant Mortality Total Infant Neonatal Postneonatal Unknown	Deaths 11 10 1	Rate	* Based on female pop ALCOHOL AND DRUG ABUS OR CONTRIBUTING CA	E AS UNDERLYING USE OF DEATH		
Sexually Transmitted Disease Chlamydia Trachomatis 208 Genital Herpes 28 Gonorrhea 18 Syphilis 0	Race of Mother White Black Hispanic Laotian/Hmong Other/Unknown	10		Al cohol Other Drugs Both Mentioned * Includes tobacco us	e (see page 7). LE CRASHES		
Children in Grades K-12 by Compliance Level Compliant 21,200 Non-compliant 243 Percent Compliant 692.8	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown  Perinatal Mortality Total Perinatal Neonatal Fetal	9 1 1 Deaths 13 10 3	Rate	Note: These data are of crash, not  Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation: For OWI For Speeding Motorcyclist Bicyclist Pedestrian	on residence.  Persons Persons Injured Killed 1,083 41 197 20		

				- 2003 HOSP	ITALIZATIONS					
	Per	Average	<b>;</b>	Charge				Average		Charge
DI SEASE /	1, 00	0 Staў	Average	Per	DI SEASE /		1,000	Stay	Average	
1	mber Pop		Charge	Capi ta	AGE GROUP	Number	Pop	(Days)	Charge	Capi ta
		(=) - /	3				[-	(=) - /	3.	2 - 1 - 2 - 2
Injury-Related: All					Al cohol -Rel ated	ł				
Total	<b>756 5</b> .	7 4.3	\$11, 875	\$68	Total	439	3. 3	5. 5	\$5, 259	\$17
<18	38 1.		\$7, 908	\$10	18-44	241	5. 5	5. 4	\$4, 554	\$25
18-44	148 3.	4 3.6	\$10, 829	\$36	45-64	148	4. 0	5. 7	\$5, 919	\$24
	189 5.		\$13, 902	\$30 \$71	Pneumonia and I		4.0	3. 7	Ψ5, 717	Ψ24
65+	381 17.		\$13, <del>3</del> 02 \$11, 672	\$199	Total	538	4. 1	3. 9	\$7, 206	\$29
Injury: Hip Fract	301 17.1	0 4.7	\$11,072	<b>Φ177</b>	10tal   <18	53	1.8	3. <del>9</del> 1. 8	\$7, 200 \$2, 796	\$29 \$5
Total	106 0.	8 5.9	ф1 Л Л Л Л Л	\$12	45-64		2. 2			\$15
	106 0.	8 5.9	\$14, 446			83		3. 5	\$6, 652	
65+	97 4.	3 6.0	\$14, 648	\$64	65+	370	16. 6	4. 3	\$7, 965	\$132
Injury: Poisoning	gs	,	** **	4.0	Cerebrovascul ar				±0.0/=	440
Total	75 O.	6 2.1	\$3, 853	\$2	Total	254	1. 9	3. 9	\$9, 367	\$18
18-44	33 0.	8 2.1	\$3, 731	\$3	45-64	44	1. 2	3. 7	\$13, 328	\$16
					65+	206	9. 2	3. 9	\$8, 503	\$78
Psychi atri c					Chronic Obstruc	ctive Pulm	onary D	)i sease		
Total	596 4.	5 6.6	\$6, 161	\$28	Total	326	2. 5	3. 8	\$6, 795	\$17
<18	109 3.		\$7,023	\$26	<18	29	1. 0	1. 4	\$2, 348	\$2
18-44	289 6.	6 6.2	\$5, 621	\$37	18-44 45-64	25	0. 6	3. 8	\$7,823	\$4
45-64	124 3.	3 6.5	\$6, 306	\$21	45-64	85	2. 3	3. 6	\$6, 790	\$15
65+	74 3.	3 4.9	\$6, 763	\$22	65+	187	8. 4	4. 3	\$7, 349	\$61
			,		Drug-Rel ated				. ,	
Coronary Heart Dise	ease				Total	121	0. 9	7. 1	\$5, 502	\$5
Total	428 3.	2 3 2	\$14, 274	\$46	18-44	71	1.6	8. 1	\$5, 850	\$9
45-64	105 2.	8 23	\$12, 918	\$36				<b>.</b> .	+0,000	**
65+	313 14.		\$14, 826	\$208	Total Hospitali	zations				
031	313 14.	5. 0	Ψ14, 020	Ψ200	Total	10, 358	78. 2	3. 6	\$7, 769	\$607
Malignant Neoplasms	(Cancars	) · All			<18	1, 285	44. 4	2. 5	\$2, 964	\$132
Total	259 2.		\$13, 420	\$26	18-44	2, 442	55. 5	3. 2	\$6, 092	\$338
18-44	12 .	0 4.7	\$13,420	<b>Φ20</b>	45-64	2, 442	55. 5 55. 7	3. 2	\$6, 092 \$9, 088	\$506
45-64	12 .	1 1 2	\$14, 151	\$30	65+	2,073	202.7		Φ9, UOO	\$300 ¢1 030
45-04	80 2.	1 4.2	\$14, IST		00+	4, 556	203.8	4. 1	\$9, 422	\$1,920
65+	167 7.	5 5.0	\$13, 132	\$98	DE DE		LIOCOLT		NC+	
Neoplasms: Female					PF	KEVENTABLE	. HUSPI I	ALIZATIO		ф1O1
Total	18 .		•		Total	1, 934	14. 6	3. 6	\$6, 918	\$101
Neoplasms: Colo-r	rectal	· - ·	440 004	<b>4</b> =	<18	119	4. 1	1.8	\$3, 572	\$15
Total	36 0.	3 /.6	\$19, 831	\$5	18-44 45-64	187	4. 3	2. 9	\$7, 526	\$32
65+	31 1.	4 7.3	\$19, 748	\$27	45-64	388	10. 4	3. 3	\$6, 609	\$69
Neoplasms: Lung					65+	1, 240	55. 5	4. 0	\$7, 245	\$402
Total	19 .									
Di abetes					* Hospitalizations	s for cond	li ti ons	where ti	mely and	effecti ve
Total	155 1.	2 4.1	\$7, 706	\$9	ambulatory care ca	an reduce	the lik	el i hood	of hospi	tal i zati on.
65+	74 3.	3 4.3	\$7,748	\$26					•	
			-							
					· 					'